

### **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

#### **In the Specification:**

Please insert the following paragraph on page 1 below the title of the invention:

-- This application is a 371 of PCT/JP03/08129 filed June 26, 2003. --

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Deepak Rao whose telephone number is (571) 272-0672. The examiner can normally be reached on Monday-Friday from 8:00am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James O. Wilson, can be reached at (571) 272-0661. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (571) 272-1600.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

**/Deepak Rao/  
Primary Examiner  
Art Unit 1624**

June 25, 2008